






IN THE CLAIMS:

1. (withdrawn) An aminated complex-type oligosaccharide derivative.

2. (withdrawn - currently amended) An aminated complex-type oligosaccharide derivative of the formula (1)




wherein R^1 is $H-(CO)-CH_2X$, $-NH-(CO)-(CH_2)_b-CH_2X$, isothiocyanate group, $-NH-(CO)_a-(CH_2)_b-CO_2H$ or $-NH-(CO)_a-(CH_2)_b-CHO$, X being a halogen atom, a being 0 or 1, b being an integer of 1 to 4, R^2 and R^3 are a hydrogen atom or a group of the formulae (2) to (5) and may be the same or different, except for the case where both R^2 and R^3 are hydrogen or the formula (5), and the case where one of R^2 and R^3 is a hydrogen atom, with the formula (5) serving as the other thereof







3. (withdrawn) An aminated complex-type oligosaccharide derivative as defined in claim 2 wherein R^1 is a -NH-halogenated acetyl group.

4. (currently amended) A glycopeptide comprising ~~[[the]]~~ an aminated complex-type oligosaccharide derivative of claim ~~2~~ the formula (1)



wherein R^1 is $H-(CO)-CH_2X$, $-NH-(CO)-(CH_2)_b-CH_2X$, isothiocyanate group, $-NH-(CO)_a-(CH_2)_b-CO_2H$ or $-NH-(CO)_a-(CH_2)_b-CHO$, X being a halogen atom, a being 0 or 1, b being an integer of 1 to 4, R^2 and R^3 are a hydrogen atom or a group of the formulae (2) to (5) and may be the same or different,




and a thiol group of ~~an amino acid a peptide~~ bonded thereto.




5. (currently amended) A process for preparing the glycopeptide of claim 4 characterized by bonding a thiol group of ~~an amino acid a peptide~~ to ~~[[an]]~~ the aminated complex-type oligosaccharide derivative.


6. (original) A glycopeptide as defined in claim 4 wherein the glycopeptide is an antibody.

7. (currently amended) A process for preparing a glycopeptide characterized by cleaving a saccharide of a glycopeptide from an ~~amino acid a peptide~~ and subsequently bonding an aminated complex-type oligosaccharide derivative of the formula (1)



wherein R^1 is $H-(CO)-CH_2X$, $-NH-(CO)-(CH_2)_b-CH_2X$, isothiocyanate group, $-NH-(CO)_a-(CH_2)_b-CO_2H$ or $-NH-(CO)_a-(CH_2)_b-CHO$, X being a halogen atom, a being 0 or 1, b being an integer of 1 to 4, R^2 and R^3 are a hydrogen atom or a group of the formulae (2) to (5) and may be the same or different,





to the resulting peptide.

8. (previously presented) A glycopeptide prepared according to the process of claim 7, the glycopeptide prepared being an antibody.